

## Common signs and symptoms of depression

- **Feelings of helplessness and hopelessness.** A bleak outlook—nothing will ever get better and there's nothing you can do to improve your situation.
- **Loss of interest in daily activities.** No interest in former hobbies, pastimes, social activities, or sex. You've lost your ability to feel joy and pleasure.
- **Appetite or weight changes.** Significant weight loss or weight gain—a change of more than 5% of body weight in a month.
- **Sleep changes.** Either insomnia, especially waking in the early hours of the morning, or oversleeping (also known as hypersomnia).
- **Anger or irritability.** Feeling agitated, restless, or even violent. Your tolerance level is low, your temper short, and everything and everyone gets on your nerves.
- **Loss of energy.** Feeling fatigued, sluggish, and physically drained. Your whole body may feel heavy, and even small tasks are exhausting or take longer to complete.
- **Self-loathing.** Strong feelings of worthlessness or guilt. You harshly criticize yourself for perceived faults and mistakes.
- **Reckless behavior.** You engage in escapist behavior such as substance abuse, compulsive gambling, reckless driving, or dangerous sports.
- **Concentration problems.** Trouble focusing, making decisions, or remembering things.
- **Unexplained aches and pains.** An increase in physical complaints such as headaches, back pain, aching muscles, and stomach pain.

## Depression in men

Depression is a loaded word in our culture. Many associate it, however wrongly, with a sign of weakness and excessive emotion. This is especially true with men. Depressed men are less likely than women to acknowledge feelings of self-loathing and hopelessness. Instead, they tend to complain about fatigue, irritability, sleep problems, and loss of interest in work and hobbies. Other signs and symptoms of depression in men include anger, aggression, violence, reckless behavior, and substance abuse. Even though depression rates for women are twice as high as those in men, men are a higher suicide risk, especially older men.

## **Depression in women**

Rates of depression in women are twice as high as they are in men. This is due in part to hormonal factors, particularly when it comes to premenstrual syndrome (PMS), premenstrual dysphoric disorder (PMDD), postpartum depression, and perimenopausal depression. As for signs and symptoms, women are more likely than men to experience pronounced feelings of guilt, sleep excessively, overeat, and gain weight. Women are also more likely to suffer from seasonal affective disorder.

## **Depression in teens**

While some depressed teens appear sad, others do not. In fact, irritability—rather than depression—is frequently the predominant symptom in depressed adolescents and teens. A depressed teenager may be hostile, grumpy, or easily lose his or her temper. Unexplained aches and pains are also common symptoms of depression in young people.

Left untreated, teen depression can lead to problems at home and school, drug abuse, self-loathing—even irreversible tragedy such as homicidal violence or suicide. But with help, teenage depression is highly treatable.

## **Causes and risk factors for depression**

- Loneliness
- Lack of social support
- Recent stressful life experiences
- Family history of depression
- Marital or relationship problems
- Financial strain
- Early childhood trauma or abuse
- Alcohol or drug abuse
- Unemployment or underemployment
- Health problems or chronic pain

## Recovery

- Is different for everyone. People need different things.

### **Make healthy lifestyle changes**

Lifestyle changes are not always easy to make, but they can have a big impact on depression. Lifestyle changes that can be very effective include:

- Cultivating supportive relationships
- Getting regular exercise and sleep
- Eating healthfully to naturally boost mood
- Managing stress
- Practicing relaxation techniques
- Challenging negative thought patterns